HUBBELL FLECTRICAL (ATALOGUE



Western Electric Company
Eleventh & York Sts., Philadelphia, Pa.



# Electrical Specialties

Catalogue and Price List No. 9. August, 1906

Prices subject to change without notice. All previous prices on goods mentioned in this Catalogue are hereby canceled.

Manufactured by

Harvey Hubbell, Incorporated Main Office and Factory, Bridgeport, Conn.

New York

Chicago

San Francisco



# INTRODUCTORY

N PRESENTING to the trade this, our 1906 catalogue we cail particular attention to the many new specialties shown herein, all of which are the result of careful thought and experiment. They are original in design, practical and unequaled in their class.

With increased facilities and close attention to the minutest detail, the high reputation of the superior quality that has characterized the Hubbell Line in the past, will be maintained in the future.

HARVEY HUBBELL, INC.



# TELEGRAPHIC CODE

To avoid liability of error, customers are requested to use code words, as far as possible, in telegraphing for goods, also for information relative to quotations or shipments.

## Telegraphic Code

GENERAL.

Duplicate our order No. . . .

further instructions.

Hold our order No. . . . awaiting

Gesto Write us full particulars regarding.

Orbis

Oris

Shipping instructions to follow.

Oucte us by telegraph.

How soon could you furnish us with.

Have you in stock,

Do not proceed with our order No. . .

Gloria	Advise by mail. Advise by telegraph.		SHIPMENTS
Gravis	Do the best you possibly can. This is important.	Saltus Sancio	Have you shipped our order No When will you ship our order No
	ORDERS	Sano	Trace shipment of our order No
Obeo	Ship by freight.	Schola	Ship what you can immediately, an
Obruo	Ship by freight prepaid.		let balance follow.
Obvius	Ship by freight with sight draft at-	Scindo	Advise by telegraph if you cannot ship in one week, our order No
Odium	Ship by express.	Statin	When can you make first shipmen
Olim	Ship by express prepaid.		and when balance of our order No
Onero	Ship by express C. O. D.		PRICES
Opes	Add to our order No		
Opus	Cancel our order No	Palam	At what price can you furnish.

## Telegraphic Code-Continued

#### ANSWERS

GENERAL

Gades	Your financial standing being unknown to us, we shall send goods C. O. D. unless advised to the contrary.	Saepe Salus Satis	Your order shipped by express. Your order shipped by freight. Will ship your order by express.
Galba	Your financial standing being unknown to us, we shall send goods sight draft attached to bill of lading, unless	Scriba Sedes Silva	Will ship your order by freight. Partial shipment of your order made. Completing shipment of your order made.
	advised to the contrary.	Solus	Will ship balance of your order.
Gallia	Your financial standing is unknown to	Spero	Will advise later regarding balance.
	us. Will you kindly send us refer- ences?	Stella	First shipment of your order will be
Gelu Gener Genu	In reference to your telegram of In reference to our telegram of In reference to your letter of	Super	Shall we ship portion of your order at once, or hold for completing ship- ment?
Gero	In reference to our letter of		PRICE
	ORDERS	Palus Pecus	Cannot give better price. Cannot accept at price mentioned.
Ocior	Too late to cancel order.	Pomum	Have none in stock.
Onus	Your order not plain. Send duplicate with full particulars.	Porta	Can ship at once if advised imme- diately.
Ordo	Send shipping instructions for your	Probe	Can make partial shipment at once,



#### Special Finishes

To meet the demand for special finished electrical goods, we carry a stock of the most popular finishes, such as old brass, oxidized copper, polished gilt, etc.

We are prepared to furnish, upon short notice, such other finishes as those mentioned on opposite page.

It is well to submit a sample when placing order for inishes that are not standard.

We believe the fixture house and contractor will value the securing of special finished goods without delay, thereby saving the great expense of refinishing the article after it has been assembled.

# List of Special Finishes

Code Word	Finish No.	Finish	Code Word		Finish
Flowerer Flowerage Floweret Flowerful	2 3	Polished Brass. Old Brass. Old English Bronze. Antique or Flemish Brass.		17	Polished Steel, Nickel-Plate, Oxidized Silver, Butler's Silver,
Flowering Flowerless Flowery	5 6 7	Oxidized Brass. Gilt. English Bronze.	Fluce Flecto Fleo	20 21	Wrought Iron. Bauer Barff. Acid or Statuary Bronze.
Flowing Flowingly Flowk	8 9 10	Satin Gold. Etruscan Gilt. Gold Bronze.	Florens	24	Lemon Brass. Ormulu or French Gilt. Burnished Gilt.
Flowkwort Flown Flowretry	11 12 13	Mottled Copper. Oxidized Copper. Antique Copper or Japanese Bronze.	Fluctus Flumen Fluo Flagito	27 28	Polished Silver. Pompeiian Bronze. Roman or Dull Gold. Gun Metal.
Flowte Flox	14 15	Polished or Hardware Bronze. Polished Copper.	Fluvius Floreo		Sand Blast, Ant. Brass. Sand Blast, Old Brass.

#### with Extension Eyelet

Standard Length of Chain on each Socket & inch

10	Code Word	List No.						Sched- ule	Std. Pkg.	Pkg. Weight	Pr
10	Obsisto		36	inch	Extension	Eyele	t			16 lbs.	
	Obedio		1	(1	- 66	11				16 "	
	Obicio		136	61						17 11	
	Obses		136	64	11	41				17 "	
			Edi	ison,	T. H. or We extension Eye	est. Sock elet, add	et, fitted to list,	A or B	50		\$.
		For	sena	rate	chains not	attach	ed to se	oket see			

#### with Extension Evelet

Patented August 11, 1895; May 8, 1900; July 30, 1901; February 17, 1903;
April 10, 1906

National Electrical Code Standard

Our Extension Eyelet permits the use of the Pull Socket with husks or other fixtures in which the limited space will not admit of the use of our regular Socket.

Unless otherwise specified, sockets with one inch extension will be furnished.



Standard Length of Chain on each Socket 8 inches

	Code Word	List No.						Sched- ule	Std. Pkg.	Pkg. Weight	P
12	Obtrude Obtrunco Obtruding Obtrudamus Obtrudunt Obtrivisti	35000 35001 35002 35003 35004 35005	T. H. " West. " Sockets	" " " " " " " " " " " " " " " " " " "	" " " shed with	36 1/6 1/8 1/8 1/8 1/8 1/8 1/8 1/8 1/8 1/8 1/8	inch cap  "  "  "  "  ns over 8 in.	B B A A A	250 100 100 50 50 50	64 lbs. 28 " 23 " 14 " 13 " 14 "	\$

Patented August 11, 1896; May 8, 1900; July 30, 1901; February 17, 1903; April 10, 1906

National Electrical Code Standard

The Pull Socket is not only acknowledged to be the most convenient and economical, but also superior. When the Socket is not within easy reach, it is indispens-

able.

The chain may be of any length.



Standard Length of Chain on each Socket 8 inches

	Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Pri
14	Obtrusive Obtrusion	35006 35007	Edison Pull Wall Socket T. H. " " "	BA	100	30 lbs.	8 .
	Obtrituros	35008	West, " " " Sockets furnished with chains over 8 inches in length add to list, per foot,	A	50	15 "	

Patented August 11, 1896; May 8, 1900; July 30, 1901; February 17, 1903; April 10, 1906

National Electrical Code Standard

The Pull Wall Socket is more desirable than the Key Wall Socket, as it can be placed higher on the wall, yet be within easy reach by means of the chain.

See opposite page for prices



No. 35006

#### with Concealed Brass Base

Standard Length of Chain on each Socket 8 inches

	Code Word	List No.						Sched- ule	Std. Pkg.	Pkg. Weight
16	Oblatus	35028	Edison	Wall	Socket,	Concealed	Base	В	100	36 lbs.
	Oblisti	5020	T. H.	11	66	"	14	A	50	17 "
	Oblit	5030	West.	11	11	44	44	A	50	18 "
		0-0	Sockets	furnish	ed with ch	ains over 8 in	ches			

#### with Concealed Brass Base

Patented August 11, 1896; May 8, 1900; July 30, 1901; February 18, 1903; April 10, 1906

National Electrical Code Standard

This Pull Wall Socket is the same in every respect as that illustrated on page 15, except the porcelain base is furnished with a brass covering.



No. 35028

#### Hubbell Pull Rosette Sockets

.....

Code Word	List No.						Sched- ule	Std. Pkg.	Pkg. Weight	Price
Obtrivimus	35000	Edison	Concealed				В	20	15 lbs.	\$1.10
Obtulisset	35010	11	Cleat				В	20	15 "	1.10
Obtulisti	35011	66	Square Mo				В	20	15 "	1.10
Flyte	35018	66	Combinatio				A	20	15 "	1.10
Obtundendo		TH	Concealed				A	20	15 "	1.10
Obtundent	5013	- 11	Cleat				A	20	15 "	1.10
Obtuendum	5014	- 66	Square Mo	ulding			A	20	15 "	1.10
Flytail	5019	. 66	Combinatio				A	20	15 "	1.10
Laadboon	5015	West.	Concealed				A	20	15 "	1.10
Laadbus	5016		Cleat				A	20	15 "	1.10
Laadgat	5017		Square Mo	ulding			A	20	15 "	1.10
Flywheel	5020	11	Combinatio				A	20	15 "	1.10
,	3		furnished wit length, add to			n.				.10

Patented August 11, 1896; May 8, 1900; July 30, 1901; February 17, 1903; April 10, 1906

National Electrical Code Standard

The Rosette Socket is the same as the Wall Socket described on preceding page, except it is mounted on a K, W, base.

When long chains are required, special adjustment of socket mechanism is necessary, and should be made to order

No. 35009

# Hubbell Pull Angle Wall Sockets

Standard Length of Chain on each Socket 8 inches

Code Word	List No.						Sched- ule	Std. Pkg.	We	kg.
	35021	Edison T. H.	Pull	Angle	Wall	Socket	B A	50		lbs.
	5023	West.		11	61	11	A	50	21	**
	Obtempo Obting Obtrecto	Word No.  Obtempo 35021  Obting 5022	Word No.  Obtempo 35021 Edison Obting 5022 T. H. Obtrecto 5023 West.	Word         No.           Obtempo         35021         Edison Pull           Obting         5022         T. H. "           Obtrecto         5023         West. "	Word         No.           Obtempo         35021         Edison Pull Angle           Obting         5022         T. H. " "           Obtrecto         5023         West. " "	Word         No.           50tempo         35021         Edison Pull Angle Wall           Dbting         5022         T. H. " "           3btrecto         5023         West. " "	Word         No.           Obtempo         35021         Edison Pull Angle Wall Socket           Dbting         5022         T. H. " " " "           Obtrecto         5023         West. " " " "	Word   No.	Moral   Mora	Word         No.         ule         Pkg.         We           Obtempo         35021         Edison Pull Angle Wall Socket         B         50         21           Obting         5022         T. H.         "         "         A         50         20

#### Hubbell Pull Angle Wall Socket

Patented August 11, 1896; May 8, 1900; July, 30, 1901; February 17, 1903; April 10, 1906

National Electrical Code Standard

The Angle Wall Socket is intended for use in place of the Wall Socket, where it is desirable to have the lamp stand at an angle.



No. 35021

#### With Lamp Base Attachment

Standard Length of Chain on each Socket 8 inches

Obtego 5024 Edison Pull Socket with Lamp Base Attachm't F Obturpo 5025 T, H, "a" " " " " " " " " " " " " " " " " "	22	Word	No.								Sched- ule	Std. Pkg.	Pkg. Weight	Price
to list, per foot	22	Obturpo	5025	West. Sockets	furnis	n hed with	chains	II Over 8 i	ii nohor i	"	F	50 50 50	13 lbs. 14 " 13 "	\$ .70 .70 .70

#### with Lamp Base Attachment

Patented August 11, 1896; May 8, 1900; July 30, 1901; February 17, 1903; April 10, 1906

National Electrical Code Standard

The Pull Socket with Lamp Base Attachment can be attached to an ordinary Key Socket or Receptacle.

Tools or the services of an electrician are not required.



#### Hubbell Candelabra Pull Socket

Standard Length of Chain on each Socket a inches

24	Word	No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price
	Obsto	5455	Candelabra Socket, Edison Base .		50	5 lbs.	
			Sockets furnished with chains over 3 inches length add to list, per foot	in			.10

For special finishes, see page 117

#### Hubbell Candelabra Pull Socket

Patented August 11, 1896; May 8, 1900; July 30, 1901; February 17, 1903; April 10, 1906

National Electrical Code Standard

The same mechanism employed in our regular Socket is embodied in the Hubbell Candelabra Pull Socket.

It is the first device in the Candelabra line in which there is a Socket and Switch combined.

This Candelabra Socket has met with instant favor, and has been the means of bringing out new ideas in ornamental fixture work among the fixture manufacturers, for whom it was specially designed.



No. 5455

#### Hubbell Candelabra Extension

	Word Word	List No.		Sched- ule	Std.	Pkg. Weight	Price
26	Edo Enim Etsi	5481 5482 5483	Candelabra Extension	 M	50		\$ .35

For special finish collar, see page 117

# The Candelabra Extension-an ad-

#### Hubbell Candelabra Extension

junct to our Candelabra Socket-may be used on any device fitted with a candelabra base

Its terminals are connected by a brass tube, heavily insulated, making the rigidity so essential in candelabra work. This extension is designed to take a

The accompanying cut illustrates the

See opposite page for prices



No. 5481

Side Wall Bracket showing use

#### Hubbell Pull Switch

Standard Length of Chain on each Switch 8 inches

28	Word Word	No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price
20	Obtusio	5027	5 Ampere Pull Switch		50	14 lbs.	\$ .60 10

#### Hubbell Pull Switch

Patented August 11, 1896; May 8, 1900; July 30, 1901; February 17, 1903; April 10, 1906

The Pull Switch is a handy device for a variety of purposes, as it can be placed at any height, yet easily operated by means of the chain, which may be of any desired length.

The same mechanical features employed in our Socket are embodied in this Switch. WOBELL

No. 5027

# Hubbell Incandescent Light Attachment for Oil Lamps

#### "The Dazzlite"

Code Word	List No.		Sched-	Std. Pkg.	Pkg. Weight	Price
Dilator	5403	Ed Dazzlite, with Plug, and 7 ft.				
Duratum		Silk Cord	F	20	15 lbs.	\$2.00
	5404	T. H. Dazzlite	F	20	15 "	2.00
Ductus	5405	West. "	F			2.00
Decem			P.	20	15 "	2.00
	5529	Ed. Dazzlite, without Cord or Plug	F	20	10 "	1.50
Decet	5530	T. H. " " " "	F			
Decus	5531	West. " " " "		20	10 "	1.50
200003	5531	West. " " "	F	20	10 "	1.50

30

For special finishes see page 117

#### Hubbell Incandescent Light Attachment for Oil Lamps

"The Dazzlite"

Manufactured under the Hufschmidt patent, December 16, 1902

The Dazzlite is a practical and inexpensive attachment for converting an oil lamp into an electric. The base of the Socket (as per illustration) is

easily and quickly fitted to any lamp with a common burner, be it either flat wick or central draft.

It does not injure the lamp in any way, and re-

It does not injure the lamp in any way, and nuires no tools to attach or detach.

When sold, complete, same is fitted with 7 feet of silk parallel lamp cord and our regular plug.

See opposite page for prices



140. 5403

# Hubbell Edison Adapters

Code							
Word	List No.		Sched	Ouantity	V	Veight	Price Net
Addo	5472	Edison Adapter for T. H. Sockets					per M
46	5472	200 per box . Edison Adapter for T. H. Sockets		500-1000	18 to	36 lbs	\$18,00
"	5472	200 per box Edison Adapter for T. H. Sockets		1000-3000	36 to	110 "	17.00
"	.,,	200 per box .		3000-5000	110 to	180 "	16,00
11	5472	Edison Adapter for T. H. Sockets					
11	5488	Bulk Edison Adapter for West. Sockets		5000		160 "	15.00
**	5488	200 per box Edison Adapter for West, Sockets		500-1000	11 to	22 "	13.00
44	5488	200 per box . Edison Adapter for West. Sockets		1000-3000	22 to	66 "	12.00
"	5488	200 per box . Edison Adapter for West. Sockets		3000-5000	66 to	110 "	11.00
	5400	Bulk		5000		85 "	10.00

#### Hubbell Edison Adapter

Patented April 10, 1906

The Hubbell Edison Adapter, when attached, gives a T. H. Socket every appearance of a straight Edison, and can be detected only upon close inspection.

They act as a permanent connection, yet can be removed, if desired.





#### Hubbell Attachment Plug

						ule	Pkg.	Weight	Price
406 Edison	Attachment	Plug,	Porcel	ain C	ap	H	100	28 lbs.	8 .30
107 T. H.	11	66	66		44	H	100		.30
108 Edison	11	" C	omposi	tion	66	H			
100 T. H.	11	66	11		11				.35
10 Edison	"	"B	rass Cov	ered	11			30	-35
II T. H.	11								.40
	107 T. H. 108 Edison 109 T. H. 110 Edison 111 T. H.	107 T. H. " 108 Edison " 109 T. H. " 110 Edison " 111 T. H. "	107 T. H. " " 108 Edison " " C 109 T. H. " " 110 Edison " " B 111 T. H. " " " 111	107 T. H. " " Composi 108 Edison " " Composi 109 T. H. " " " " " " " " " " " " " " " " " "	107 T. H. " " Composition " " Composition " " " " " " " " " " " " " " " " " " "	107 T. H. " " " " " " " " " " " " " " " " " "	107 T. H. " " " H 108 Edison " " Composition" H 109 T. H. " " " H 110 Edison " "Brass Covered" H 111 T. H. " " " " H	107 T. H.	107 T.H. " " " H 100 31 " 108 Edison " "Composition" H 100 26 " 109 T.H. " " H 100 30 " 110 Edison " "Brass Covered" H 100 29 "

# Hubbell Attachment Plug

### All Porcelain Fuseless; 300 Volts, 3 Ampere

Patented August 16, 1892; November 8, 1904 National Electrical Code Standard

This Plug is of the separable type and is made up of a cap and base, the former being interchangeable but one base is required for a variety of purposes.

The separate cap obviates all twisting of the cord which was the main objection in the old style plug. The contact is made on the knife switch principle, and the termi-

nals are enclosed in separate cells.

Finished in porcelain, hard rubber or brass covered caps. See opposite page for prices



No. 5406

# Hubbell Composition Attachment Plug

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price
Padus	5467	Edison Composition Attachment Plug	H	100	23 lbs.	\$ .50
Pagas	5489	Т. Н. " " "	Н	100	27 11	.50
Puella	5468	Edison Composition Attachment Plug Brass Covered Cap	Н	100	25 "	.50
Pando	5490	T. H. Composition Attachment Plus			-3	.00
		Brass Covered Cap	Н	100	29 "	.60

 Patented August 16, 1902: November 8, 1904

This Plug is identical with our No. 5406, except that it is made in composition instead of porcelain.

The plug is practically non-destructible and is specially adapted for use in mills or factories, in fact any place where a device of this kind is subjected to hard usage.



No. 5467

## Hubbell Attachment Plug

#### for Reenforced Cord

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price
Par	5491	Edison Plug for Reenforced Cord, Por- celain	Н	50	ış lbs.	\$ .60
Paris	5492	T. H. Plug for Reenforced Cord, Por- celain	Н	-		
Parcus	5493	Edison Plug for Reenforced Cord, Composition		50	.,	.60
Parentio	5494	T. H. Plug for Reenforced Cord. Com-	Н	50	16 "	.80
		position	H	50	18 "	.80

For special finished brass covered caps, see page 117

# Hubbell Attachment Plug

#### ------

Patented August 16, 1892; November 8, 1904

National Electrical Code Standard

This Plug is practically the same as our No. 5410, excepting the brass covered cap is fitted with a bushing to take reenforced cord.



#### without Casing

40	Code Word Pluto Plus Positus	List No. 5323 5324 5422	-14	11	Porcelain Cap Composition Cap Brass Covered Cap .	Sched- ule H H H	Std. Pkg. 20 20 20	Pkg. Weight 6 lbs. 6 "	Price \$ .45 .50 .55	
----	--	----------------------------------	-----	----	---	------------------------------	--------------------------------	---------------------------------	-------------------------------	--

#### without Casing

Patented August 16, 1892; November 8, 1904

National Electrical Code Standard

The Chandelier Plug is a modification of our regular Attachment Plug, and is intended to be used in a ball or sphere at the bottom of the chandelier or cluster.

It is particularly desirable on a chandelier for a reading lamp or fan, where the current can be tapped without displacing the lamp. The base is interchangeable with the regular caps.





#### with Brass Casing

42	Code Word Pluvia Plodo Paratio	List No. 5325 5326 5423	Chandelier "	Plug, Porcelain Cap "Composition " "Brass Covered Cap	. H	Std. Pkg. 20 20	6 "		.7. 77	7 7	7		0	5	,			
		5326	**		. H			5				.7	.7	.7.	.75	\$ .70 .75 .80	.75	.75

#### with Brass Casing

Patented August 16, 1892; November 8, 1904

National Electrical Code Standard

This Plug is the same in every respect as the Plug shown on page 41, except that it is furnished with a brass casing. Caps are interchangeable with all plugs.



No. 5423

### with 1/8 Inch Socket Nipple

44	Code Word	List No.	Sched- ule	Std. Pkg.	Pkg. Weight	Price
44	Parvus Partus	5495 Chandelier Plug, Porcelain Cap . 5496 " Composition "	Н	20	7 lbs.	\$ .80
	Pastor	5497 " Brass Covered Co	ар . Н	20	7 "	.85

with 1/4 Inch Socket Nipple

Patented August 16, 1892; November 8, 1904

National Electrical Code Standard

This Plug is similar to that illustrated on page 43, excepting the top or base is fitted with a 1/8 inch socket nipple.

This arrangement is quite desirable on a variety of fixture work, and practically completes a system of plugs for chandeliers.



No. 5497

# Hubbell Flush Attachment Plug

		- 14h C				
		without Cover				
Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price
Pallens	5415	Flush Attachment Plug, without Cap, with 4½ x 2¾ plate	Н	50	38 lbs.	81.25
Pansus	5416	Flush Attachment Plug, with Porcelain		-		
Deste		Cap, with 41/2 x 23/4 plate	H	50	42 "	1.40
Pacta	5417	Flush Attachment Plug, with Composi- tion Cap, with 4½ x 2¾ plate	Н	50	41 "	1.45
Pondo	5418	Flush Attachment Plug, with Brass Cov-		3-	4.	43
	0,	ered Porcelain Cap, with 4 1/4 x2 1/4 plate	H	50	43 "	1.50
Pontus	5443	Flush Attachment Plug, without Cap.				
		with 21/2 x 41/4 plate	H	50	38 "	1.25
Pleno	5444	Flush Attachment Plug, with Porcelain				
		Cap, with 2 1/2 x 4 1/4 plate	H	50	42 "	1.40
Provo	5445	Flush Attachment Plug, with Composition				
		Cap, with 21/2 x 41/4 plate	H	50	41 "	1.45
Pulcrum	5446	Flush Attachment Plug, with Brass Cov-				15
		ered Porcelain Cap, with 21/2x41/4 plate	H	50	43 "	1,50
Polished b	rass, old b	rass, polished nickel, oxidized copper, are standar		All good	ds shinned i	hadridae

---

#### without Cover

Patented November 8, 1904; June 27, 1905 National Electrical Code Standard

This Flush Plug does away with the lid when not in use, and still presents a flush surface having at the same time no electrical contacts exposed. When connected, the cap only projects one-half

When connected, the cap only projects one-half inch above the surface of the plug, doing away with the unsightly lid and far projecting plug as found in

The cap to our regular plug, now so universally adopted, can be used on this flush plug, permitting an interchangeable connection from a baseboard outlet, which arrangement cannot be had when any other flush receptacle is used.





No. 5418

# Hubbell Flush Attachment Plug

		with Cover				
Code Word	List No.			Std. Pkg.	Pkg. Weight	Prio
Patiens	5498	Flush Attachment Plug, without Cap, with 4 1/4 x 2 1/4 plate			53 lbs.	\$1.75
Patior	5400	Flush Attachment Plug, with Porcelain		20	33 108.	24.75
		Cap, with 416 x 21/2 plate	H	50	57 "	1.90
Patria	5500	Flush Attachment Plug, with Composi-			16 4	
Paucus	rror	tion Cap, with 4 1/2 x 2 1/2 plate Flush Attachment Plug, with Brass Cov-	H	50	56 "	1.95
Laucus	-	ered Porcelain Cap, with 4 1/4 x2 1/4 plate	H		c8 "	2.00
Paulo	5502	Flush Attachment Plug, without Cap,			-	
		with 2 1/2 x 4 1/4 plate	H	50	53 "	1.73
Pauper	5503	Flush Attachment Plug, with Porcelain Cap, with 2½ x 4½ plate	1.2		57 "	1,90
Pax	5504	Flush Attachment Plug, with Composi-	**	200	37	1.90
		tion Cap, with 2 1/4 x 4 4 plate	H	50	56 "	1.98
Premo	5505	Flush Attachment Plug, with Brass Cov-				
		ered Porcelain Cap, with 2 1/2 x4 1/4 plate	H	50	58 "	2.00

Polished brass, old brass, polished nickel, oxidized copper are standard finishes. All goods shipped polished brass, unless otherwise specified. For other finishes, see page 117. For separate caps, see pages 72-74.

# Hubbell Flush Attachment Plug

#### with Cover

Patented November 8, 1904; June 27, 1905

National Electrical Code Standard

The mechanical features of this plug are identical with those illustrated on page 47, except the plate is fitted with a double hinge and shows no holes or openings.

When in use, it swings back on the plate, and, the cap seting in a recess, is practically flush with the surface.



No. 5501

### Hubbell Floor Receptacle

	Code Word	List No.				Sched- ule	Std. Pkg.	Pkg. Weight	Price	
	Pedes	5506	Floor	Receptacle,	Porcelain Cap	H	25	12 lbs.	\$1.15	
)	Pejor	5507	11	11	Composition Cap	H	25	11 "	1.20	
	Pendeo	5508	11	16	Brass Covered Cap	H	25	13 "	1.25	

For special finished brass covered caps, see page 117 " " plates, " " 117 " separate caps . . . . . . . . . . " " 72-74

# Hubbell Floor Receptacle

Patented November 8, 1904; June 27, 1965

National Electrical Code Standard

The same principle that is used in our regular plug is embodied in this device.

Plate measures 2 1/2 inch in diameter and can be used in side wall work as well as a floor receptacle.



110. 3300

### Hubbell Multiple Attachment Plug

#### with Lamp Base Attachment-for Three Plugs

52	Code Word	List No.		Std. Pkg.	Pkg. Weight	Price
32	Placare	5327	Ed. Multiple Attachment Plug—Lamp Base—three Plugs	10	10 lbs.	\$1.50
	Placide	5328	T. H. Multiple Attachment Plug— Lamp Base—three Plugs	10	10 "	1.50

For separate caps, see pages 72-74

#### Hubbell

# Multiple Attachment Plug

#### with Lamp Base Attachment for three Plugs

Patented August 16, 1892; November 29, 1904

All Porcelain Fuseless

This device is for use in a receptacle to tap the current for three different purposes, and not intended for use in a Key Socket. Caps are interchangeable with all Plugs. нивесц

No. 5327 - ½ Size

### Hubbell Multiple Attachment Plug

with Lamp Base Attachment-for Two Plugs and One Lamp

	Code Word	List No.	Sched- ule	Std. Pkg.	Pkg. Weight	Price	
4	Pleo	5331 Ed. Multiple Plug—Lamp Base—to Plugs, one Lamp		10	11 lbs.	\$1.50	
	Planare	5332 T. H. Multiple Plug—Lamp Base two Plugs—one Lamp		10	11 "	1.50	

### Hubbell Multiple Attachment Plug

#### with Lamp Base Attachment

for two Plugs and one Lamp

Patented August 16, 1892; November 29, 1904

#### All Porcelain Fuseless

This device serves the same purpose as the one described on preceding page, except it is fitted with a receptacle for holding a lamp.

Caps are interchangeable with all Plugs.

See opposite page for prices



No. 5331

# Hubbell Multiple Attachment Plug

for Chapman Receptacle-Fitted for Three Plugs

56	Code Word Prunum	List No.	Multiple Plug for Chapman Receptacle	Std. Pkg.	Pkg. Weight	Price	
		0000	—three Plugs	10	10 lbs.	\$1.50	

For separate caps, see pages 72-74

# Hubbell

### Multiple Attachment Plug

### for Chapman Receptacle

fitted for three Plugs

Patented August 16, 1892; November 29, 1904

#### All Porcelain Fuseless

This Plug is the same as the other Multiple Plugs illustrated on preceding pages, except it is designed to fit a Chapman Recentacle.

The device avoids fastening the cords together as is necessary with the ordinary Chapman Plug, when used for more than one purpose.

ne purpose. Caps are interchangeable with all Plugs.



No. 5335-1/2 Size

# Hubbell Current Tap

Code Word	List No.								Sched- ule	Std.	Pkg. Weight	Price
Perago	5454	Edison	Current	Tap	Multiple				H	50		8 .50
Perduco		T. H.							H	50	22 "	50
Pereo	5510	Edison	11	66	Series		Ċ	ĺ	H	50	20 11	.50
Perfero		T. H.		"						50	22 11	.50

### Hubbell Current Tap

Patented August 16, 1892; November 8, 1904

National Electrical Code Standard

This Current Tap is all porcelain; simple, compact, and reasonable in price.

The electrical contacts are enclosed, and there are no

exposed binding screws.

It is made both in series and multiple.



See opposite page for prices

### Hubbell Side Wall Attachment Plug

	Code Word	List No.				Sched- ule	Std. Pkg.	Pkg. Weight	Price
	Pellio	5426	Side	Wall	Plug, Porcelain Cap Concealed	H	50	20 lbs.	8 .40
	Placas	5427	11	- 11	" Composition " "	H	50	10 "	.45
60	Pensus	5428	44	11	" Brass Covered Cap "	H	50	21 11	.50
00	Punio	5512	11	11	" Porcelain Cap Cleat	H	50	21 "	.40
	Puto	5513	11	44	" Composition Cap Cleat	H	50	20 "	-45
	Pugio	5514	44	41	" Brass Covered " "	Н	50	22 "	.50

For special finished brass covered caps, see page 117 For separate caps, " 72-74

## Hubbell Side Wall Attachment Plug

#### All Porcelain Fuseless

Patented August 16, 1892; November 8, 1904

National Electrical Code Standard

This Plug is to be used, chiefly, for side wall work, and is designed for both cleat and concealed wiring.

It dispenses with both Socket and Receptacle, and is especially desirable in an orchestra pit, and for other stage effects, also whereever it is convenient to use an extension cord.

Caps are interchangeable with all plugs.



No. 542

# Hubbell Angle Attachment Plug

Code Word	List No.			Sched- ule	Std. Pkg.	Pkg. Weight	Price
Peritus	5515	Angle Plug	without Base	. н	20	6 lbs.	8 .50
Peto	5516		with Concealed Base .		20	10 "	.80
Piget	5517	11 11	" Cleat " .	. н	20	11 "	.80

### Hubbell Angle Attachment Plug

Patented August 16, 1892; November 8, 1904

National Electrical Code Standard

The Angle Attachment Plug is designed for use in both show case and window lighting. The quickness with which it can be connected or disconnected, and its shallow porcelain base, permit a most convenient way to change the number of lights without causing an unsightly appearance.

Made for both cleat and concealed wiring.



See opposite page for prices

No. 5517

### Hubbell Floor Plug

	Code	List No.				Sched- ule	Std. Pkg.	Pkg. Weight	Price
64	Pirato	5469	Floor		Porcelain Cap		50	19 lbs.	\$ .60
04	Plebs	5470	4.6	11	Composition Cap	H	50	18 "	.65
	Provoco	5471	66	66	Brass Covered Cap .	H	50	20 "	.70

For special finished brass covered caps, see page 117 "separate caps . . . . . . . . " "72-74

### Hubbell Floor Plug

Patented August 16, 1892; November 8, 1904

National Electrical Code Stand

This Floor Plug is designed for use with waterproof flush floor boxes.

It is made similar to our No. 5426 Side Wall Plug, and is the smallest and most compact plug for this purpose.

The cap to our regular plug can be used with same permitting of an interchangeable connection.



No. 5469

### Hubbell Theatre Plug

	Code Word	List No.	Sched- ule	Std. Pkg.	Pkg. Weight	Price
66	Poena Pompa	5518 Theatre Plug	H	30 30	7 lbs. 8 "	\$ .60

### Hubbell Theatre Plug

Patented August 16, 1502; November 8, 1904

This Theatre Plug is designed principally for stage lighting where it is desired to carry an extension cord for various scenic effects.

It is the most practicable Plug for this purpose as it provides a

means of conveniently carrying the current to the desired point, and quickly connecting and disconnecting same. The separable and interchangeable cap are features that cannot be had with other styles.

This Plug is made in composition only, making it practically indestructible.



da ---- 6--- 1

### Hubbell Weatherproof Plug

	Code Word	List No				Sched- ule	Std. Pkg.	Pkg. Weight	Price
10	Pono	5520	Weatherproof	Plug,	Porcelain Cap	. н	30	15 lbs.	\$1.00
68	Propior	5521	"		Composition Cap .		30	14 "	1.05
	Propter	5522	"	44	Brass Covered Cap	H	30	16 "	1.10

Patented August 16, 1902; November 8, 1904

National Electrical Code Standard

This Weatherproof Plug is designed for out door work, especially for electric signs.

The interchangeable cap feature, and the quickness with which it can be disconnected and changed are strong points in its favor.





# Hubbell Receptacle for Attachment Plug

Code Word	List No	),					Sched- ule	Std. Pkg.	Pkg. Weight	Price
Plangor	5424	Edison	Receptacle	for	Attachment	Plug	H	30	4 lbs.	8.17
Pinetum	5425	Т. Н.	- 11	66	"	"	H	30	3 "	.17

This device was originally designed for our Multiple Plug, which is made for two Plugs and one lamp, but it can be used in connection with all our knife-blade contact Plugs.



#### Fuseless

Code Word	List No.	Sched- ule	Std. Pkg.	Pkg. Weight	Price
Punctus	5419 Porcelain Cap,	H	30	3 lbs.	8.15
Pariter	5420 Composition Cap	H	30	3 "	.20
Protelo	5421 Brass Covered Cap, Porcelain	H	30	3 "	.25
Possum	5523 " " Composition .	H	30	3 "	.30

For special finished brass covered cap, see page 117

Fuseless





Plug Caps (as illustrated) are interchangeable with our entire line of plugs.







#### Fusible

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price
Post Postulo Potens	5524 5525 5526	Porcelain Cap	H H H	30 30	3 lbs.	\$ .20
Potior	5527	" " Composition . All plugs fitted with fusible cap, add to	Н	30	3 "	.30 .35 .05

For special finished brass covered cap, see page 117

#### Fusible

This Fusible Cap is the same as our regular cap, excepting it is made in the fusible type, and designed to convert our regular fuseless plug into fusible.

Furnished in both porcelain and brass covered.



#### Hubbell Shade Holder

76	Code Word Spiritus Status	List No. 5339 5340	2¼ 3¼	inch	Shade	Holder,	per "	gross	. D	Std. Pkg. 5 gro. I "	Weight 38 lbs.	Price Gro. \$9.00 18.00	
	Status	5340	314		"	"	**	**	. D	1 "	12 "	18.00	

For special finishes, see page 117

#### Hubbell Shade Holder

Patented July 28, 1903; February 23, 1904

\* This Holder is made in two parts, consisting of a split screw collar and holder.

It can be attached to any standard Socket without the use of tools, and is as firmly held in place as if it were a part of the shell itself, holding the shade or globe in a direct and true center, and its rigidity prevents (by ill use or otherwise) the shade from being sprung from a correct position.

There are no projecting screws or lugs to present an unsightly appearance.



No. 5339

### Hubbell Locking Spring Shade Holder

For special finishes, see page 117

#### Hubbell Locking Spring Shade Holder

Patened July 28, 1903; February 24, 1904; June 27, 1905

The method of fastening this holder to the socket shell is the same as that employed in our No. 5339, but the holding of the shade by a locking spring, doing away with the globe holder screws is an entirely new principle.

It permits of a more rapid adjustment than is obtained in the ordinary holder, at the same time holding the shade firmly and in a correct position.

It is specially adapted for railway or marine use, as the shade cannot jar loose, and is more ornamental for all purposes.



No. 5528

#### Hubbell Half Reflector

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price Doz.
Sagino	5429 Half Tin Reflector		C	5 doz.	8 lbs.	\$3.25
Scabre	5430 " Aluminum Reflector .		C	5 11	8 11	5.50
Sustuli	5532 " Brass "	 	C	5 "	8 "	9.00

For special finished brass reflectors, see page 117

# Hubbell Half Reflector

Dataset of Yorks of

This Reflector is attached to the socket by means of a screw collar the same as used on our shade holder.

This insures a strength and rigidity to the reflector that cannot be had with other attachments.

The reflector cannot get out of line, requires no tools to attach, yet can be removed in an instant



### Hubbell Flat Tin and Aluminum Shades

Code Word	List No.										Sched- ule		Std.	We	ight		Price
Sectura	5431	8	inch	Flat	Tin	Shade					C	5	doz.	16	lbs.	Doz.	\$2.50
Sibilio	5432	10	- 66	44	66	64					C	5	66	21	66	11	3.00
Signas	5433	12	11	44	.66	44					C	5	11	41	11	ii.	4.40
Sulvia	5456	14	66	66	- 11	66					C	5	11	48	41	11	5.60
Salvus	5457	16		- 11	-(1)	11					C	5	11	64	11	- 11	6.90
Superbe	5476	18	11	- 11	11	66					C	5	66	76	44	11	8.50
Simulo	5434	8		Flat	Alu	minum	S	na	de		C	1	"	3	66	Each	.85
Solator	5435	10	- 11	66		"		66			C	1	11	4	44	11	.95
Specula	5436	12	- 11	64		66		10			C	1	44	8	11	66	1,20
Superus	5458	14	- 11	11		11		ćs			C	1	11	10	11	11	1.50
Supremus	5459	16	46	11		44		46			C	1	44	13	11	а	1.00

# Hubbell Flat Tin

Patented July 28, 1903

A combined Shade and Shade Holder is the principle of our shades.

They cannot be put on in any other than a true position, therefore, hold the lamp in an exact center, where it is securely held no matter how much abuse it receives. This secures an equal and full distribution of light, which is a strong feature from an economical

No screws or shade holders are required in attaching to the socket, therefore, a considerable saving in the cost of installation is

Made in both tin and aluminum.



No. 5432

# Hubbell Deep Cone Tin and Aluminum Shades

Code Word	List No.								Sched- ule		kg.	W	kg. eight		Price
Stultus	5440		inch	Cone	Tin	Shade			C	5	doz.	19	lbs.	Doz.	\$3.50
Stupare	5441	10	- 11	11	44	46			C	5	11	28		11	3.80
Sternere	5442	12	11	11		44			C	5		40		11	5.60
Scelus	5473	8	66	Cone	Alur	ninum	Shade		C	1		4	66	Each	.85
Seco	5474	10	- 66	- 44		11	66		C	1	44		11	11	1.25
Scipio	5475	12	- 11	- 61			- 66		C	1	66	8	11	14	1.70

### Hubbell Deep Cone Tin and Aluminum Shade

Patented July 28, 1903

The attachment in this Cone Shade is the same as that used in our other styles.

We strongly recommend same for use in mills or factories, as the shade is held so rigidly, that the lamp is fully protected, thereby the use of a guard can be dispensed with.

Made in both tin and aluminum.

No. San

### Hubbell Parabola Reflector

Code Word	List No.		Sched-	Std. Pkg.	Pkg. Weight	Price Doz.
Scripsi	5460	6½ inch Parabola Polished, for 16 or 32 C. P. Lamps			15 lbs.	\$9.00
Serio	5461	6½ inch Parabola Frosted, for 16 or 32 C. P. Lamps		5 "		8.25
Sector	5477	5 1/2 inch Parabola Polished, for 16 C.P. Lamps only			12 "	8.75
Sepens	5478	5½ inch Parabola Frosted, for 16 C. P. Lamps only		5 "	12 "	8.00

#### Hubbell Parabola Reflector

Patented July 28, 1903

The majority of Parabola Reflectors are attached to the socket shell by means of a spring holder, which is insecure when compared with our attachment.

Our screw collar holds the reflector rigid, and in a correct and permanent position.

Made in aluminum only, both frosted and polished.



No. 5460

#### Hubbell Shallow Cone Tin Shade

Code Word	List No.								Sched- ule		Std.	Pkg. Weight	Price Doz.
Sella	5462	8	inch	Shallow	Cone	Tin	Shade		C	5	doz.	16 lbs.	\$2.90
Semel	5463	10	- 66	- 16	66	11	"		C	5	44	21 "	3.35
Semper	5464	12	44	"	66	44	11		C	5	11	41 "	4.70
Senatus	5465	14	-	11	11	**	44		C	5	11	48 "	6.00
Senex	5466	16	11 .	4	"	11	44		C		66	64 11	7 30

#### Hubbell Shallow Cone Tin Shade

Patented July 28, 1903

The Shallow Cone Shade is a modification of our flat tin, it being a trifle more concave. This style is used when it is desired to secure a wider range of light than can be obtained in our cone shade.

Made in tin only.



No. 5463

# Hubbell Enameled Steel Shade

	Code Word	List No.	Sched- ule	Std. Pkg.	Pkg. Weight	Price Doz.
00	Senior	5533 10 inch Flat Enameled Steel Shad	e C	r dos	8 lbe	61.00

### Hubbell Enameled Steel Shade

Patented July 28, 1903

This Enameled Shade is practically a steel shade covered with a heavy coating of white enamel, making a light and indestructible shade that has every advantage of the porcelain, without the breakage.

Made in 10 inch flat only.



No. 553

### Hubbell Special Aluminum Shade

Code Word	List No.	. Sche ule	d- Std. Pkg.	Pkg. Weight	Price Doz.
Seretio		al Aluminum Shade,			
		C C	5 doz.	18 lbs.	\$10 00
Sermo		al Aluminum Shade,	5 "	18 "	9.25

### Hubbell Special Aluminum Shade

Patented July 28, 1001

This special Aluminum Shade is of oval design, and in view of its ornamental appearance is more desirable than the regular Cone.

Made in 71/2 inch only.



No. 5479

See opposite page for prices

93

### Hubbell Lamp Guard

	Code Word	List No.						Sched- ule	Std. Pkg.	Pkg. Weight	Price Doz.
14	Latus	5485 5487		Lamp						30 lbs.	\$3.50

Fits any standard socket shell, cannot become loose, and does not depend on lamp bulb for support.



No. 548

### Hubbell Lamp Guard

#### for Use with Hubbell Shades

96	Code Word	List No.					Sched- ule	Std. Pkg.	Pkg. Weight	Price Doz.
	Legion Lego	5534 5536							30 lbs. 36 "	\$3.50 3.75

### Hubbell Lamp Guard

#### for Use with Hubbell Shades

Patented July 28, 1903

This Guard is designed to be used in connection with our shades, as per illustration.

It is practically the same as that shown on previous page, excepting the threaded neck is made sufficiently large to engage the threaded neck of the shade.

Price covers cost of guard only



97

### Hubbell Standard Pull Clusters

Code Word	List N								Sched- ule	Std. Pkg.	Pkg. Weight	Price
Cado	5135	2	Light	Standard	Pull	Cluster	Ed.	Base	F	10	15 lbs.	\$3.25
Caecio	5136	3	1.	66	66	16	61	46	F	10	18 "	4.10
Calcar	5137	4	66	66	66	4.6	1.6	66	F	10	20 "	5.00
Calceo	5138	5	66	- 11	66	66	11	44	F	10	23 "	5.95
Calco	5139	6	66	66	44	66	11	61	F	10	25 "	6.8
Caldor	5140	2	66	44	66	44	TH	. 66	F	10	15 "	3.25
Caleo	5141	2	11	41	11	. 11	66	11	F	10	18 "	4.10
Caligo	5142	1	66	66	11	- 61	66	66	F	10	20 11	5.00
Calix	5143	5	11	16	66		44	11	F	10	23 "	5.95
Callens	5144	6	11	11	66	- 66	- 11	- 66	F	10	25 "	6.85
Calo	5145	2		11	11	11	West		F	10		3.25
Calor	5146	2	11	11	. 66	66	11	44	F	10	15 "	4.10
Calva	5147	3	11	11	11	14	11	46	F	10	20 "	5.00
Calvor	5148	-	11	11	66	11	44	16	F	10	23 "	5.95
Callis	5149	6		11	44	66	44	44	F	10	25 "	6.85
		ain	over 3	eet in lengt	h, add	to list, p	er foot					.10
				d, add to lis								.20

If desired with stem, canopy and crowfoot, see pages 108, 110, 112. For special finishes, see page 118

#### Hubbell Standard Pull Clusters

Patented May 27, 1902; July 28, 1903

The principal feature of our Cluster is the separate control of each light by a pendant chain connecting our Pull Sockets to a common center. By a straight pull all of the lights may be turned on or off. By pulling the chain to one side anyone or more of the lights may be operated.

Another distinctive feature is the fastening of the Socket

cap to the cluster center by riveting, thereby lessening the danger of the socket becoming loose or unfastened. Not the least of the advantages of this Cluster is the small expense of equipping a building with a convenient means of controlling the lights without the use of extra wring and wall switches.

Complete with shade holder chain and acorn, not wired. Standard length of chain measured from bottom of cluster, 3 feet. Cluster furnished for 1/8 inch stem unless otherwise specified.

For prices see opposite page



No. 5130

## Hubbell Separable Pull Clusters

Code Word	List No								Sched- ule	Std. Pkg.	Pkg. Weight	Price
Campus	5346	2	Light	Separable	Pull	Cluster,	Ed.	Base	F	3	9 lbs.	\$4.25
Caneo	5347	3	66	- 11	66	64	44	44	F	5	10	5.15
Canis	5348	4	6.6	11	66	66	66	44	F	5	12 "	6.10
Cano	5349	5	66	11	66	66	66	46 .	F	5	13 "	7.0
Cantor	5350	6	66	66	44	11	66	11	F	5	14 "	8.00
Capero	5351	2	64	44	66	66	T.H	. 66	F	5	9 "	4.21
Capio	5352	2	66	44	66	44	1.1	61	F	5	10 "	5.15
Cardo	5353	3	66	11	66	66	66	66	F	5	12 "	6.10
Caso	5354	7	11	16	64	66	66	- 64	F	5	13 "	7.01
Castro	5355	8	44	14	11	11	44	44	F	5	14 11	8.00
Casula	5356	2	11	66	11	11	West	44	F	5	0 "	4.2
Causor	5357	-		66	66	66	11	44	F	5	10 "	5.1
Calero	5358	3	14	66	44	66	64	11	F	5	12 "	6.10
Cansor	5350		11	11	11	11	11	11	F	5	13 "	7,0
Carno	5359	6	44	11	11	11	66	11	F	5	14 "	8.0
				vy chain over								.3

If desired with stem, campy and crowfoot, see pages 108, 110, 112. For special finishes, see page 118

## Hubbell Separable Pull Clusters

Patented May 27, 1902; July 28, 1903

This Cluster is of a similar design to our regular Pull Cluster, except it has a separable bottom for wiring the fixture from the underside, and it is made of heavy gauge (No. 22) metal for high grade work.

Complete with Shade Holder, special heavy Chain and Acorn, not wired. Standard length of chain measured from bottom of Cluster, 3 ft. Cluster furnished for ¾ inch stem unless otherwise specified.



No. 5347

# Hubbell Fixture Pull Clusters

Code Word	List No.								Sched- ule	Std. Pkg.	Pkg. Weight	Price
Canor	5384	2	Light	Fixture,	Pull	Cluster.	Ed.	Base	F	5	8 lbs.	\$3.55
Carus	5385	3	11	11	44	44	66	44	F	5	0 16	4.50
Carpo	5386	4	66		44		66	64	F		10 "	5.50
Cito	5387	5	14	41	66	66	66	64	·F	5	11 "	6.50
Civis	5388	6	. 66	11	66	. 66	5.5	66	F	5	12 "	7.50
Cogito	5389	2	64	46	66	66	T.H.	11	F	5	8 "	3.55
Cogo	5390	2	66	66	6.6	66	44	11	F		0 11	4.50
Colo	5391	A	66	11	14	66	. 66	11	F	5	10 "	5.50
Costo	5392	2	66	66	44	44	66	64	F	5	11 "	6.50
Cremo	5393	6	66	66	66	66	44	11	F	5	12 "	7.50
Crepo	5394	0	66	66	66	11	West		F	5	8 "	3.55
Crispo	5395	2	11	66	66	11	11	**	F	5	9 "	4.50
Consto	5396	3	66	44	44	66	66	44	F	5	10 "	5.50
Connecto		7	11	11	14	11	11	14	F	5	11 "	6.50
Conflo	5398	6	44	"	44	- 11	11	11	F	5	12 "	7.50
If furnished	with ch	ain	over 3	feet in lens	th, ac	ld to list.	per for	ot				.10
If furnished												.20

If desired with stem, canopy and crowfoot, see pages 108, 110, 112. For special finishes, see page 118

#### Hubbell Fixture Pull Clusters

Patented May 27, 1902; July 28, 1903

This Cluster, although of the same general make-up as our regular Cluster, is designed for more ornamental work.

It is equipped with 2¼ Hubbell Shade Holders without shades. Not wired.

Standard Length of Chain from bottom of Cluster, three



#### Hubbell Side Wall Pull Clusters

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price
Canet	5400	Side Wall Pull Cluster Straight Electric Ed. Sockets	F	5	10 lbs.	\$5.50
Citras	5401	Side Wall Pull Cluster Straight Electric T. H. Sockets	F	5	10 "	5.50
Coloris	5402	Side Wall Pull Cluster Straight Electric West. Sockets	F	5	10 "	5.50
		If furnished with chain over 1 foot in length, add to list, per foot				.10
		If furnished wired, add to list				1.00

For special finishes see page 118

### Hubbell Side Wall Pull Clusters

Patented May 27, 1902; July 28, 1903

This fixture, while both ornamental and substantial, is conveniently reached for turning on and off the lights by the chain, and, like our Pull Cluster, dispenses with extra wiring and wall switches. It is well adapted to halls and public rooms, where it is desirable to place the fixture at a greater height than would be convenient with the key socket. It is fitted with 4½ inch Hubbell Shade Holders, without shades. Not wired

Standard length of chain measuring from button to acorn, one foot,



No. 536

# Hubbell Key and Keyless Clusters

Code Word	List No.								Sched- ule	Std. Pkg.	Pkg. Weight	Price
Clades	5195	2	Light		Cluster,	Edison	Base		L	5	7 lbs.	\$1.89
Clamito	5196	3	11	66	11	11	**		L	5	8 "	2.25
Clangor	5197	4	66	44	44	14	66		L	5	0 11	2.75
Clarus	5198	5	16	61	66	66	6.6		L	5	10 "	3.20
Clathri	5199	6	46	64	11	66	66		L	5	11 "	3.65
Claudo	5200	2	61	1.6	11	T. H.	66		L	5	7 11	1.85
Clava	5201	3	46	1.4	11	11	44		L	5	8 "	2.25
Clemens	5202	4	"	66	11	44	16		L	5	9 "	2.75
Clepo	5203	5	44	66	4.6	11	66		L	-	10 "	3.20
Cliens	5204	6	- 44	64	11	66	11		L	5	11 "	3.65
Clipeo	5205	2	"	4.6	1.5	West.	44		L	5	7 11	1.85
Clivius	5206	3	11	11	44	11	66		L	5	8 "	2.25
Clunis	5207	4	66	14	- 11	44	66		L	5	0 "	2.75
Clupea	5208	-	44	44	44	- 11	"		I.	5	10 "	3.20
Clipeus	5200	6	"	44	41	44	11		I.	5	11 "	3.65
Cripeus	5209	0	If furnis		ith socket		idd to		-	5	11 "	3.

If desired with stem, canopy and crowfoot, see pages 108, 110, 112. If keyless sockets are desired, add "less" to code word. For special finishes, see page 118.

This Cluster is made on the same general plan as our Pull Cluster, except the regular Key or Keyless Socket is used instead of our Pull Socket and Chain. When used with our regular Pull Clusters it furnishes a uniform design throughout the building, at the same time being much more substantial than any other key cluster, as the caps of the socket are a part of the cluster center, and are not attached to the center by a threaded nipple.

Cluster complete with sockets attached and Shade Holder. Not wired.

Furnished for 36 inch stem unless otherwise specified,



No. 5196-Keyless

See opposite page for prices

Code Word	List No.								Sched- ule	Std. Pkg.	Pkg. Weight	Price
Ferre	5364	41/2	inch	Canopy	with	5%	Slip	Ring	L	5	5 lbs.	\$ .30
Fussa	5365	41/2	66	16	66	34	11	- 11	L	5	5 11	.30
Fussilis	5366	51/2	11	44	66	36	44	11	L	5	8 "	.70
Francus	5367	51/2	X 156	inch E	xtens	ion	Ring	ζ	L	5	3 "	.27

For special finishes, see page 118

Canopy -41/2 inches wide, 4 inches deep

List No. 5364-Canopy with 5% inch Slip Ring. List No. 5365-Canopy with 1/2 inch Slip Ring.

Extension Ring-51/2 inches wide, 15% inch deep 22 gauge List No. 5367-Extension Ring.



No. 5364

deep, 22 gauge

Canopy-51/2 inches wide, 51/2 inches (Furnished with Separable Cluster, see page 39) List No. 5366-Canopy with 34 inch Slip Ring.

No. 5366



No. 5367

See opposite page for

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price
Fussum	5372	1/8 inch 17 gauge Brass Stem	L	5	8 lbs. per f	t., 8 .30
Firma	5373	1/8 " Iron Pipe with 1/4 inch Covering Tube, 24 gauge		5	20 " "	-35
Fraudis	5374	1/8 inch x 1/8 inch Malleable Iron Insulating Joints	L	5	7 "	.45
Facere	5375	3% inch x 3% inch Brass Insulating Joints	L	5	7 "	.50
Fulvus	5376	1/8 inch x 1/4 inch Malleable Iron Insulating Joints, with Hickey .	L	5	11 "	.50
Funis	5377	3% inch x 3% inch Brass Insulating Joints, with Hickey	L	5	11 "	.60

110

For special finish stems, see page 118





Stems are highly polished and lacquered. No. 5372, No. 17 gauge; No. 5373 covering tube, No. 24 gauge.
Insulating joints with and without hickey are of standard make, and will fit all our

fixtures.

See opposite page for prices

	Code Word	List No.		Sched-	Std. Pkg.	Pkg. Weight	Price
112	Secta		314 in. Shade Holder, for 1/4 in. Stem .				\$ .16
112	Secans		314 " " " 14 " "			3 "	.16
	Futilis	5378	3% x 3% in. Iron Hickey	L	5	4 "	.10
	Flere	5379	1/8 x 1/8 in. Crowfoot	L	5	4 "	3.50 per 100

This shade holder is of heavy gauge metal and fits the regular 314 inch flat porcelain shade. Is made for 36 inch stem and 34 inch covering tube.









Hickey is made of malleable iron, and is of special design for our Cluster Centers, Crowfoot is of standard design and heavy casting.

See opposite page for prices

Code Word	List No.				Sched- ule	Std. Pkg.	Pkg. Weight	Price
Flos	5380	1/4 inch Socket Bushings			L	1000	3 lbs.	\$7.50
Floris	5381	3/8 " Fixture "			L	1000	10 "	10,00
Fluit	5382	Chain, per foot			F			.10
Falda	5383	Acorn, each, attached			F			.06
Futilit	5399	Heavy Chain, per foot			F			.31
Futilito	5535	Candelabra, " "			F			.10

Socket Bushings are of regular standard make of Composition.

Chains are made expressly for us, and are carefully tested, polished and lacquered.



110. 33



See opposite page for prices

### Price List Special Finishes

	Article	F	inish	Schedule	Price Add to List
I	Iubbell Pull Sockets including Chain and Acorn	Old Brass Rich Gilt	Oxidized Copper Nickel Plate	АВ	\$ .06
I	Hubbell Pull Sockets including Chain and Acorn	Old English Bronze Oxidized Brass Etruscan Gilt Mottled Copper Polished Bronze Polished Steel Bauer Barff Lemon Brass Burnished Gilt	Antique Brass English Bronze Gold Bronze Antique Copper Polished Copper Wrought Iron Acid Bronze Ormulo Gilt	АВ	.10
. I	Hubbell Pull Sockets including Chain and Acorn	Oxidized Silver Butler's Silver Pompeiian Bronze Polished Silver Satin Gold	Roman Gold Gun Metal Sand Blast Antique Brass " " Old Brass	АВ	.15
	Chain for Sockets	All Finishes, per foo	t		.02
		See page 9 for 1	elegraphic Code		

#### Price List Special Finishes

Page	List No.		Schedule Price
22	5024-6	Socket with Lamp Base Attachment	F Seese as
24	5455	Candelabra Socket	M Sorket List
26	5482	Collar for Candelabra extension	M .02
28	5027	Pull Switch	F Socket Lie
30	5403	Dazzlite	F .20
38	5491-94	Caps for Attachment Plug for Re-enforced Cord	H .05
42	5325-50	Chandelier Plug, Casing	H .10
46	5415-18	Flush Plug Plates	H .15
48	5498-05	" " with Cover	H .25
50	5506	Plates for Floor Receptacle	H .15
72	5421-23	Covered Caps for Plugs, Fuseless	H .05
	5524-27	" " Fusible	H .05
74 76 76 78 80	5339	21/4 Shade Holder	D Gro. 2.50
76	5340	314 " "	D " 2.50
78	5528	214 " with Locking Spring	D " 250
80	5532	Brass Half Reflector	C Dox. 7.50

Old Brass Oxidized Copper Wrought from English Bronze Antique Copper Bauer Bartl
Rich Gilt Nickel Plate Old English Bronze Mottled Copper Polished Copper Acid Bronze
All other finishes on application See page 9 for Telegraphic Code

other manner on apparation

#### Price List Special Finishes-Continued

Page	List No.	Article	Schedule	Price
98 100 102	5135-49 5346-60 5384-98	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	F	\$ .70 .80 .90 1.00
104		" Side Wall	F	1.25
106	5195-209	Key and Keyless Clusters	L	.45 .55 .60 .70
108	5364	4½ Canopy	L	.20
108	5365	5 1/2 "	L	.25
108	5367	Extension King	L	.10
110	5372	5% in. Stem	L	.10
110	5373	M Covering Tube	L	.10
112	5368-9	Cluster Shade Holder	L	.10
114	5383	Acorn	F	.02
		The above prices cover the following finishes:		
Old Br Rich G	ilt Nickel	ed Copper Wrought Iron English Bronze Antique Copper	r Acid	r Barff Bronze

#### General Index

		Page		Page
Adapters		33	Attachment Plugs, Theatre	67
Attachment I	Plugs	, Angle 63	" Weatherproof .	69
"	44	Caps (Fuseless) . 73	Bushings	115
"	EE	" (Fusible) . 75	Candelabra Extensions	
44	66	Chandelier 41-45	Canopies	
" -	66	Composition 37	Chain	
"	44	Floor 65	Crowfeet	
44	44	Flush 47-49	Clusters, Fixture	
"	44	Multiple 53-57	" Key and Keyless	
"	44	Receptacle 71	" Separable	
44	44	Regular 35	" Side Wall	105
"	66	Reinforced	" Standard Pull	
		Cord (for) 39	Current Tap	
44	46	Side Wall 61	Extension Ring	

#### General Index-Continued

			Page					Pag	
Guards		9	5-97	Shade Ho	older	s for sockets		77-7	ì
Hickeys			113	Index to	Code	Words 6	-7-1	21-12	
Insulating Joints				11 11	List	Numbers	. 1	24-12	
Light Attachment for Oil Lamp						nes			
"Dazzlite"			31			Angle			
Receptacles, Floor			51	"	11	Candelabra		. 2	
Shades, Cone			85	"		Extension			
" Enameled Steel (flat) .			QI.	"		Lamp Base			
" Flat			83	"		Regular			
" One-half Reflector			81	"		Rosette			
" Parabola			87	"		Wall			
" Shallow Cone				Stems					
" Special Cone Aluminum	١.		93						
Shade Holders for clusters									

### Index to Code Words

		Index	to Code W	orus	
Code Word	Page	Code Word Page	Code Word Page	Code Word Page	Code Word Page
A		Cano 100	Clemens 106	Dilator 30	Flowerer 9
Addo	. 22	Canor 102	Clepo 106	Ductus 30	Floweret 9
		Cansor 100	Cliens 106	Duratum 30	Flowerful 9
C		Cantor 100	Clipeo 106	E	Flowering 9
Cado	. 98	Capero 100	Clipeus 106	Edo 26	Flowerless 9
Caecio		Capio 100	Clivius 106	Enim 26	Flowery 9
Calcar		Cardo 100	Clunis 106	Etsi 26	Flowing 9 Flowingly 9
Calceo		Carno 100	Clupea 106	F	Flowk 9
Calco		Carus , 102	Cogito 102	Facere 110	Flowkwort 9
Caldor	- 98	Carpo 102	Cogo 102	Falda 114	Flown 9
Caleo	. 98	Caso 100	Coloris 102	Ferre 108	Flowretry 9
Calero		Castro 100	Connecto 102	Firma 110	Flowte 9
Caligo	98	Casula 100 Causor 100	Conflo 102	Flagito 9	Flox 9
Calix		Cito 100	Consto 102	Flecto 9	Floygene 9
Callens Callis	- 90	Citras 194	Costo 102	Fleo 9	Fluate 9
Calo	- 90	Civis 102	Cremo 102	Flere 112	Fluavil 9
Calor		Clades 106	Crepo 102	Fletus 9	Flucan 9
Calva		Clamito 106	Crispo 102	Flo 9	Fluce 9
Calvor		Clangor 106		Florens 9	Fluctus 9
Campus .		Clarus 106	D	Floreo 9	Fluit 114
Caneo		Clathri 106	Decem 30	Floris 114	Flumen 9
Canis		Claudo 106	Decet 30	Flos 114	Fluo 9
Canet		Clave 106	Decus 30	Flowerage 9	Fluvius 9

#### Index to Code Words-Continued

Code Word Page	Code Word Page	Code Word Page	Code Word Page	Code Word	Page
Flytail 18	Gratus 6	Obtego 22	Odium 6	Par	. 38
Flyte 18	Gravis 6	Obtempo 20	Olin 6	Parco	. 6
Flywheel 18	Grex 6	Obting 20	Onero 6	Paris	. 38
Francus 108		Obtrecto 20	Onus 7	Pansus	. 46
Fraudis 110	L	Obtrituros 14	Opes 6	Parens	. 6
Fulvus 110	Laadboom 18	Obtrivimus 18	Opus 6	Paratio	
Funis 110	Laadbus 18	Obtrivisti 12	Oram 6	Parcus	. 38
Fussa 108	Laadgat 18	Obtrudamus , 12	Orbis 6	Parentio	38
Fussilis 108	Latus 94	Obtrude 12	Ordo 7	Pariter	. 72
Fussum 110	Laudo 94	Obtruding 12	Oris 6	Partus	. 44
Futilis 112	Legion 96	Obtrudunt 12	Otium 6	Parvus	44
Futilit IIA	Lego 96	Obtrunco 12	Ovum 6	Pastor	. 27
Futilito 114	0	Obtrusion 14		Patiens	48
	0	Obtrusive 14	P	Patior	
G	Obeo 6	Obtuendum 18	Paco 34	Patria	48
Gades 7	Obedio 10	Obtulisset 18	Pacta 46	Paulo	48
Galba 7	Obicio 10	Obtulisti 18	Padus 36	Paucus	- 48
Gallia 7	Oblatus 16	Obtundendo 18	Pagas 36	Pauper	48
Gelu 7	Oblisti 16	Obtundent 18	Palam 6	Pax	48
Gener 7	Oblit 16	Obturbo 22	Pallens 46	Pector	74
Genu 7	Obruo 6	Obturpo 22	Palpo 34	Pecus	. 34
Gero 7	Obses 10	Obtusio 28	Palus	Pedes	* **
Gero 7 Gesto 6	Obses 10	Obtusio 28	Palus 7	Pedes	. 50
Gero 7	Obses 10 Obsisto 10 Obsto 24	Obtusio 28 Obvius 6 Ocior 7	Palus	Pedes	. 50
Gero 6	Obses 10 Obsisto 10	Obtusio 28 Obvius 6	Palus 7	Pedes	. 50

	Index to	Code Words-	-Continued	
Code Word Page				
Pendeo 50	Pluto 40	Provo 46	Schola 6	Signas 82
Pensus 60	Pluvia 42	Provoco 61	Scindo 6	Silva 7
Perago s8	Poena 66	Prunum 56	Scipio 84	Simulo 82
Perduco 58	Pomum 7	Puella 36	Scriba 7	Solator 82
Pereo 58	Pompa 66	Pugio 60	Scripsi 86	Solus 7
Perfero 58	Pondo 46	Pulcrum 46	Secans 112	Specula 82
Peritus 62	Pono 68	Pulvis 34	Seco 84	Spero 7
Peto 62	Pontus 45	Punctus 72	Secta 112	Spiritus 76
Piget 62	Porta 7	Punio 60	Sector 86	Status 76
Pilum 6	Postulo 74	Puto 60	Sedes 7	Statim 6
Pinetum 70	Posco 6	S	Sectura 82	Stella 7
Pirato 64	Positus 40		Sella 88	Sternere 84
Placare 52	Possum 72	Saepe 7	Semel 88	Stultus 84
Placas 60	Post 74	Sagino 80	Semper 88	Stupare 84
Placide 52	Potens 74	Saltus 6	Senatus 88	Super 7
Planare 54	Potior 74	Salus	Senex 88	Superbe 82
Plangor 70	Prendo 34	Salvus 82	Senior 90	Supra 82
Plebs 64	Premo 48	Sancio 6	Serio 86	Superus 82
Pleneo 46	Probe 7	Sano 6	Seritio 92	Supremus 82
Plen 54	Propior 68	Satis 7	Serpens 86	Surgo 78
Plodo 42	Propter 68	Scabre 80	Sermo 92	Sustali 80
Plus 40	Protelo 72	Scelus 84	Sibilio 82	

### Index to List Numbers

50212   18   5143   09   5316   42   505   101   5399   101   10		Index	to List ivumbers	
5013	Cat. No. Page	Cat. No. Page	Cat. No. Page Cat. No. Page	Cat. No. Page
10	5012 18	5143 98	5326 42 5365 108	5392 102
5014	5013 18	5144 98	5327 52 5367 108	
5015	5014 18	5145 98		
500   500	5015 18	5146 98		
5077 18 5409 69 5335 55 5273 100 5297 1	5016 18	5147 98		
5010	5017 18	5149 98		
5000   18   310   510   526   75   317   110   5399   510	5010 18	5195 106		
5024   20   307   100   53.6   100   375   110   5000   1	5020 18	5196 106		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5022 20			
0.00	5023 20			
5015 22 3.800 100 3.400 100 3.775 112 5403 100 5	5024 22	5199 106	5348 100 5378 112	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5025 22	5200 106	5349 100 5379 119	5403 20
5077	5026 22	5201 106	5350 100 5180 114	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5027 28	5202 106		5405
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5029 16	5203 106		5406
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5030 16	5204 106		
\$110 00 \$350 100 \$355 100 \$355 120 \$360 100 \$355	5135 98	5205 106		5408 34
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5136 98	5206 106		5400 34
\$138	5137 98	5207 106		
5139 98 5299 106 5338 100 5388 102 5415 4 5140 98 5323 40 5339 100 5389 102 5416 4 5141 98 5344 40 5350 100 5390 102 5417 4	5138 98	5208 106		
5140	5139 98	5209 106		
5141 98 5324 40 5360 100 5390 102 5417 4	5140 98	5323 40		
		5324 40		
	5142 98	5325 42	5364 108 5391 102	5418 46

#### Index to List Numbers-Continue

Index to List Numbers—Continued									
Cat. No. Page	_Cat. No. Page	Cat. No. Page	Cat. No. Page	Cat. No. Page					
5419 72	5454 58	5478 86	5504 48	5528 78					
5420	5455 24	5479 92	5505 48	5529 30					
5421 72	5456 82	5480 92	5506 50	5530 30					
5422 40	5457 82	5481 26	5507 50	5531 30					
5423 42	5458 82	5482 26	5508 50	5532 So					
5424 70	5459 82	5483 26	5509 58	5533 90					
5425 70	5460 86	5485 94	5510 58	5534 96					
5426 60	5461 86	5487 94	5511 58	5535 114					
5427 60	5462 88	5488 32	5512 60	5536 96					
5428 60	5463 88	5489 36	5513 60	35000 12					
5429 80	5464 88	5490 36	5514 60	35001 12					
5430 80	5465 88	5491 38	5515 62	35002 12					
5431 82	5466 88	5492 38	5516 62	35003 12					
5432 82	5467 36	5493 38	5517 62	35001 12					
5433 82	5468 36	5494 38	5518 66	35005 12					
5434 82	5469 64	5495 44	5519 66	35006 14					
5435 82	5470 64	5490 44	5520 68	35007 14					
5436 82	5471 64	5497 44	5521 68	35008 14					
5440 84	5472 32	5498 48	5522 68	35009 18					
5441 84	5473 84	5499 48	5523 72	35010 18					
5442 84	5474 84	5500 48	5524 74	35011 18					
5443 46	5475 84	5501 48	5525 74	35018 18					
5444 46	5476 82	5502 48	5526 74	35021 20					
5445 46	5477 86	550148	5527 74	35028 16					
5446 46									





